INDEX TO AUTHORS

ANDERSON, RUBERT S. See FRIEDEWALD and ANDERSON, 285

ANDERSON, THOMAS F. See MUDD, HEINMETS, and ANDERSON, 327

ANGEVINE, D. MURRAY. See DEGARA and ANGEVINE, 27, 135

BAKER, JAMES A. A filtrable virus causing enteritis and pneumonia in calves, 435

BALE, W. F. See HAHN, BALE, ROSS, BALFOUR, and WHIPPLE, 169

BALFOUR, W. M. See HAHN, BALE, ROSS, BALFOUR, and WHIPPLE, 169

BANG, FREDERIK B. Synergistic action of *Haemophilus influenzae suis* and the swine influenza virus on the chick embryo. II, 9

BERRY, GEORGE PACKER, and SLAVIN, HOWARD B. Studies on herpetic infection in mice. I. Passive protection against virus inoculated intranasally, 305

—. See SLAVIN and BERRY, 315, 321

CASALS, J. Neutralizing and complement-fixing antibody production and resistance following vaccination in experimental encephalitis infections, 447

CHAIKOFF, I. L. See MONTGOMERY, SHELINE, and CHAIKOFF, 151

CORCORAN, A. C., and PAGE, IRVINE H. Effects of hypotension due to hemorrhage and of blood transfusion on renal function in dogs, 205

DEGARA, PAUL F., and ANGEVINE, D. MURRAY. Reactions in skin and in internal organs of rabbits sensitized with streptococcus or with pneumococcus vaccine and their relationship to antibodies, 135

DEGARA, PAUL F., and ANGEVINE, D. MURRAY. Studies on the site of antibody formation in rabbits following intracutaneous injections of pneumococcus or of streptococcus vaccine, 27

DONG, LUTHER. See FABER, SILVERBERG, and DONG, 499, 519

DUBOS, RENÉ J., STRAUS, JUNE HOOKEY, and PIERCE, CYNTHIA. The multiplication of bacteriophage *in vivo* and its protective effect against an experimental infection with *Shigella dysenteriae*, 161

ERICKSON, JOHN O., and NEURATH, HANS. Antigenic properties of native and regenerated horse serum albumin, 1

FABER, HAROLD K., SILVERBERG, ROSALIE J., and DONG, LUTHER. Poliomyelitis in the *cynomolgus* monkey. I. Comparison of the upper portion of the alimentary tract with its lower, gastrointestinal portion as a portal of entry, with special reference to the peripheral ganglia, 499

—, —, and —. II. Resistance to spread of infection in the central nervous system following exposures of the mucous membranes to virus, with comments on non-paralytic poliomyelitis, 519

FRIEDEWALD, WILLIAM F. The immunological response to influenza virus infection as measured by the complement fixation test. Relation of the complement-fixing antigen to the virus particle, 347

— and ANDERSON, RUBERT S. The effects of Roentgen rays on cell-virus associations. Findings with virus-induced rabbit papillomas and fibromas, 285

GOLDBLATT, HARRY. See KATZ and GOLDBLATT, 67
GREGG, ALAN. See SMADEL, WALL, and GREGG, 189

HAHN, P. F., BALE, W. F., ROSS, J. F., BALFOUR, W. M., and WHIPPLE, G. H. Radioactive iron absorption by gastrointestinal tract. Influence of anemia, anoxia, and antecedent feeding. Distribution in growing dogs, 169
HAMMON, W. McD., and REEVES, W. C. Laboratory transmission of St. Louis encephalitis virus by three genera of mosquitoes, 241
— and —. Laboratory transmission of Western equine encephalomyelitis virus by mosquitoes of the genera *Culex* and *Culiseta*, 425
HECHT, RUDOLPH, SULZBERGER, MARION B., and WEIL, HARRY. Studies in sensitization to skin. I. The production of antibodies to skin by means of the synergistic action of homologous skin antigen and staphylococcus toxin, 59
HEINMETS, FERDINAND. See MUDD, HEINMETS, and ANDERSON, 327
HIRST, GEORGE K. Adsorption of influenza virus on cells of the respiratory tract, 99
—. Studies of antigenic differences among strains of influenza A by means of red cell agglutination, 407
HUANG, C. H. Further studies on the titration and neutralization of the Western strain of equine encephalomyelitis virus in tissue culture, 111

KATZ, YALE J., and GOLDBLATT, HARRY. Studies on experimental hypertension. XXI. The purification of renin, 67
KRAMPITZ, L. O. See WOOLLEY and KRAMPITZ, 333

LANCEFIELD, REBECCA C. Studies on the antigenic composition of group A hemolytic streptococci. I. Effects of proteolytic enzymes on streptococcal cells, 465
LANCEFIELD, REBECCA C. See SWIFT, WILSON, and LANCEFIELD, 127
LEMON, HENRY M. See PUCK, ROBERTSON, and LEMON, 387

MARTINEZ, OSCAR. See OSTER and MARTINEZ, 477
MELNICK, JOSEPH L., and PAUL, JOHN R. Susceptibility of *Cebus capucina* (the South American ringtail monkey) and *Cercopithecus cephus* (the African mustache monkey) to poliomyelitis virus, 273
MIRICK, G. S. The oxidation of *p*-aminobenzoic acid and anthranilic acid by specifically adapted enzymes of a soil bacillus, 255
MONTGOMERY, M. LAURENCE, SHELINE, G. E., and CHAIKOFF, I. L. The elimination of administered zinc in pancreatic juice, duodenal juice, and bile of the dog as measured by its radioactive isotope (Zn^{65}), 151
MUDD, STUART, HEINMETS, FERDINAND, and ANDERSON, THOMAS F. The pneumococcal capsular swelling reaction, studied with the aid of the electron microscope, 327

NELSON, JOHN B. The stability of variola virus propagated in embryonated eggs, 231
NEURATH, HANS. See ERICKSON and NEURATH, 1

OSTER, KURT A., and MARTINEZ, OSCAR. Water metabolism in hypertensive rats, 477

PAGE, IRVINE H. Hypotension and loss of pressor response to angiotonin as the result of trauma to the central nervous system and severe hemorrhage, 41
—. See CORCORAN and PAGE, 205
—. See PLENTL and PAGE, 367

PAUL, JOHN R. See MELNICK and PAUL, 273
PIERCE, CYNTHIA. See DUBOS, STRAUS, and PIERCE, 161
PLENTL, ALBERT A., and PAGE, IRVINE H. A kinetic analysis of the renin-angiotonin pressor system and the standardization of the enzymes renin and angiotonase, 367
PUCK, THEODORE T., ROBERTSON, O. H., and LEMON, HENRY M. The bactericidal action of propylene glycol vapor on microorganisms suspended in air. II. The influence of various factors on the activity of the vapor, 387

RASKA, SIGWIN B. The metabolism of the ischemic kidney. I. The respiration and the oxidase activity of the ischemic kidney, 75
REEVES, W. C. See HAMMON and REEVES, 241, 425
ROBERTSON, O. H. See PUCK, ROBERTSON, and LEMON, 387
ROSS, J. F. See HAHN, BALE, ROSS, BALFOUR, and WHIPPLE, 169

SHELINE, G. E. See MONTGOMERY, SHELINE, and CHAIKOFF, 151
SIGURDSSON, BJÖRN. The influence of age of host and temperature of incubation on infection of the chick embryo with vesicular stomatitis virus, 17
—. The yield of rabies virus in the chick embryo, 341
SILVERBERG, ROSALIE J. See FABER, SILVERBERG, and DONG, 499, 519
SLAVIN, HOWARD B., and BERRY, GEORGE PACKER. Studies on herpetic infection in mice. II. The pathways of invasion of the central nervous system after intranasal instillation of virus in suckling mice, 315
— and —. III. The visceral lesions in suckling mice, 321
SLAVIN, HOWARD B. See BERRY and SLAVIN, 305
SMADEL, JOSEPH E., WALL, M. J., and GREGG, ALAN. An outbreak of psittacosis in pigeons, involving the production of inclusion bodies, and transfer of the disease to man, 189
SPRUNT, DOUGLAS H. See TAYLOR and SPRUNT, 91
STRAUS, JUNE HOOKEY. See DUBOS, STRAUS, and PIERCE, 161
SULZBERGER, MARION B. See HECHT, SULZBERGER, and WEIL, 59
SWIFT, HOMER F., WILSON, ARMINE T., and LANCEFIELD, REBECCA C. Typing group A hemolytic streptococci by M precipitin reactions in capillary pipettes, 127

TAYLOR, HAYWOOD M., and SPRUNT, DOUGLAS H. Increased resistance to viral infection as a result of increased fluid in tissues, 91

WALL, M. J. See SMADEL, WALL, and GREGG, 189
WEIL, HARRY. See HECHT, SULZBERGER, and WEIL, 59
WHIPPLE, G. H. See HAHN, BALE, ROSS, BALFOUR, and WHIPPLE, 169
WHITE, A. G. C. See WOOLLEY and WHITE, 489
WILMER, HARRY A. The disappearance of phosphatase from the hydronephrotic kidney, 225
WILSON, ARMINE T. See SWIFT, WILSON, and LANCEFIELD, 127
WOOLLEY, D. W., and KRAMPITZ, L. O. Production of a scurvy-like condition by feeding of a compound structurally related to ascorbic acid, 333
— and WHITE, A. G. C. Selective reversible inhibition of microbial growth with pyrithiamine, 489

INDEX TO SUBJECTS

ABSORPTION, iron, radioactive, by gastrointestinal tract, influence of anemia, anoxia, and antecedent feeding, and distribution in growing dogs, 169

Acid, *p*-aminobenzoic and anthranilic, oxidation by specifically adapted enzymes of soil bacillus, 255

—, ascorbic, compound structurally related to, production of scurvy-like condition by feeding, 333

Adsorption of influenza virus on cells of respiratory tract, 99

Age, host, and incubation temperature, influence on chick embryo infection with vesicular stomatitis virus, 17

Agglutination, red cell, antigenic differences among influenza A strains studied by, 407

Air, microorganisms suspended in, bactericidal action of propylene glycol vapor, influence of various factors on activity, 387

Albumin, horse serum, native and regenerated, antigenic properties, 1

Alimentary tract of *cynomolgus*, comparison of upper portion with lower gastrointestinal portion as portal of entry of poliomyelitis, with special reference to peripheral ganglia, 499

Aminobenzoic acid, *p*-, and anthranilic acid, oxidation by specifically adapted enzymes of soil bacillus, 255

Anemia, anoxia, and antecedent feeding, influence on radioactive iron absorption by gastrointestinal tract, 169

Angiotonase and renin, standardization, and kinetic analysis of renin-angiotonin pressor system, 367

Angiotonin, loss of pressor response to, result of central nervous system trauma and severe hemorrhage, 41

Angiotonin-renin pressor system, kinetic analysis, and standardization of enzymes renin and angiotonase, 367

Anoxia, anemia, and antecedent feeding, influence on radioactive iron absorption by gastrointestinal tract, 169

Anthranilic acid and *p*-aminobenzoic acid, oxidation by specifically adapted enzymes of soil bacillus, 255

Antibodies, relation to reactions in skin and in internal organs of rabbits sensitized with streptococcus or with pneumococcus vaccine, 135

— to skin, production by means of synergistic action of homologous skin antigen and staphylococcus toxin, 59

Antibody formation, site, following intracutaneous injections of pneumococcus or of streptococcus vaccine, 27

—, neutralizing and complement-fixing, production, and resistance, following vaccination in encephalitis infections, 447

Antigen, complement-fixing, relation to influenza virus particle, 347

—, homologous skin, and staphylococcus toxin, synergistic action, production of antibodies to skin by means of, 59

Antigenic composition of group A hemolytic streptococci, effects of proteolytic enzymes on streptococcal cells, 465

Antigenic differences among influenza A strains studied by red cell agglutination, 407
— properties of native and regenerated horse serum albumin, 1
Ascorbic acid, compound structurally related to, production of scurvy-like condition by feeding, 333

BACILLUS, soil, enzymes, specifically adapted, oxidation of *p*-aminobenzoic acid and anthranilic acid by, 255
Bactericidal action of propylene glycol vapor on microorganisms suspended in air, influence of various factors on activity, 387
Bacteriophage, multiplication *in vivo* and protective effect against *Shigella dysenteriae* infection, 161
Benzoic acid, *p*-amino-, and anthranilic acid, oxidation by specifically adapted enzymes of soil bacillus, 255
Bile, pancreatic juice, and duodenal juice, elimination of administered zinc in, measured by radioactive isotope (Zn^{65}), 151
Blood corpuscle, red. *See* Erythrocyte.
— transfusion, effects on renal function, 205
Bodies, inclusion, production in psittacosis in pigeons, 189

CAPSULAR swelling reaction, pneumococcal, studied with electron microscope, 327
Cattle, filtrable virus causing enteritis and pneumonia in, 435
Cebus capucina, susceptibility to poliomyelitis virus, 273
Cell, blood, red. *See* Erythrocyte.
Cell-virus associations, effects of Roentgen rays, findings with virus-induced rabbit papillomas and fibromas, 285
Cells, respiratory tract, adsorption of influenza virus on, 99
—, streptococcal, effects of proteolytic enzymes, 465
Cercopithecus cephus, susceptibility to poliomyelitis virus, 273
Complement fixation test, immunological response to influenza virus infection measured by, relation of complement-fixing antigen to virus particle, 347
Complement-fixing and neutralizing antibody production and resistance following vaccination in encephalitis infections, 447
Corpuscle, blood, red. *See* Erythrocyte.
Culex and *Culiseta* mosquitoes, laboratory transmission of Western equine encephalomyelitis virus by, 425
Culiseta and *Culex* mosquitoes, laboratory transmission of Western equine encephalomyelitis virus by, 425
Cultivation, tissue, titration and neutralization of Western strain of equine encephalomyelitis virus in, 111
Cynomolgus, poliomyelitis in, comparison of upper portion of alimentary tract with lower gastrointestinal portion as portal of entry with special reference to peripheral ganglia, 499
—, poliomyelitis in, resistance to spread of infection in central nervous system following exposures of mucous membranes to virus, with comments on non-paralytic poliomyelitis, 519

DUODENAL juice, pancreatic juice, and bile, elimination of administered zinc in, measured by radioactive isotope (Zn^{65}), 151

EGGS, embryonated, stability of variola virus propagated in, 231
Electron microscope, pneumococcal capsular swelling reaction studied with, 327

Embryo, chick, infection with vesicular stomatitis virus, influence of host age and incubation temperature, 17
—, chick, synergistic action of *Haemophilus influenzae suis* and swine influenza virus, 9
—, chick, yield of rabies virus in, 341
Embryonated eggs, stability of variola virus propagated in, 231
Encephalitis infections, neutralizing and complement-fixing antibody production and resistance following vaccination, 447
— virus, St. Louis, laboratory transmission by three genera of mosquitoes, 241
Encephalomyelitis virus, equine, Western, laboratory transmission by *Culex* and *Culiseta* mosquitoes, 425
— virus, equine, Western strain, titration and neutralization in tissue culture, 111
Enteritis and pneumonia in calves caused by filtrable virus, 435
Enzymes of soil bacillus, specifically adapted, oxidation of *p*-aminobenzoic acid and anthranilic acid by, 255
—, proteolytic, effects on streptococcal cells, 465
—, renin and angiotonase, standardization, and kinetic analysis of renin-angiotonin pressor system, 367
Erythrocyte agglutination, antigenic differences among influenza A strains studied by, 407

FEEDING, antecedent, anemia, and anoxia, influence on radioactive iron absorption by gastrointestinal tract, 169
—, compound structurally related to ascorbic acid, production of scurvy-like condition by, 333
Fibromas and papillomas, rabbit, virus-induced, effects of Roentgen rays on cell-virus associations, 285
Filtrable virus causing enteritis and pneumonia in calves, 435
Fixation, complement. *See* Complement.
Fluid, tissue, increased, resulting in increased resistance to viral infection, 91

GANGLIA, peripheral, comparison of upper portion of alimentary tract of *cynomolgus* with lower gastrointestinal portion as portal of entry of poliomyelitis with special reference to, 499
Gastrointestinal tract of *cynomolgus*, comparison with upper portion of alimentary tract as portal of entry of poliomyelitis, with special reference to peripheral ganglia, 499
— tract, radioactive iron absorption, influence of anemia, anoxia, and antecedent feeding, and distribution in growing dogs, 169
Glycol, propylene, vapor, bactericidal action on microorganisms suspended in air, influence of various factors on activity, 387
Growth, microbial, selective reversible inhibition with pyrithiamine, 489

HAEMOPHILUS *influenzae suis* and swine influenza virus, synergistic action on chick embryo, 9
Hemolytic streptococci, group A, antigenic composition, effects of proteolytic enzymes on streptococcal cells, 465
— streptococci, group A, typing by M precipitin reactions in capillary pipettes, 127
Hemophilus influenzae suis. *See Haemophilus influenzae suis*.
Hemorrhage, severe, and trauma to central nervous system, hypotension and loss of pressor response to angiotonin as result, 41

Hemorrhage-induced hypotension, effects on renal function, 205
Herpetic infection, passive protection against virus inoculated intranasally, 305
— infection, pathways of invasion of central nervous system after intranasal instillation of virus in suckling mice, 315
— infection, visceral lesions in suckling mice, 321
Homologous skin antigen and staphylococcus toxin, synergistic action, production of antibodies to skin by means of, 59
Horse encephalomyelitis virus, Western, laboratory transmission by *Culex* and *Culiseta* mosquitoes, 425
— encephalomyelitis virus, Western strain, titration and neutralization in tissue culture, 111
— serum albumin, native and regenerated, antigenic properties, 1
Hydronephrotic kidney, disappearance of phosphatase from, 225
Hypertension, purification of renin, 67
—, water metabolism, 477
Hypotension due to hemorrhage, effects on renal function, 205
— and loss of pressor response to angiotonin as result of central nervous system trauma and severe hemorrhage, 41

IMMUNOLOGICAL response to influenza virus infection measured by complement fixation test, relation of complement-fixing antigen to virus particle, 347
Incubation temperature and host age, influence on chick embryo infection with vesicular stomatitis virus, 17
Influenza A strains, antigenic differences studied by red cell agglutination, 407
Influenza, swine, virus, and *Haemophilus influenzae suis*, synergistic action on chick embryo, 9
— virus, adsorption on cells of respiratory tract, 99
— virus infection, immunological response measured by complement fixation test, relation of complement-fixing antigen to virus particle, 347
Injections, intracutaneous, of pneumococcus or of streptococcus vaccine, site of antibody formation following, 27
Inoculation, intranasal, of herpes virus, passive protection, 305
Iron, radioactive, absorption by gastrointestinal tract, influence of anemia, anoxia, and antecedent feeding, and distribution in growing dogs, 169
Ischemic kidney, metabolism, respiration and oxidase activity, 75
Isotope (Zn^{65}), radioactive, elimination of administered zinc in pancreatic juice, duodenal juice, and bile measured by, 151

KIDNEY function, effects of hypotension due to hemorrhage and of blood transfusion, 205
—, hydronephrotic, disappearance of phosphatase from, 225
—, ischemic, metabolism, respiration and oxidase activity, 75
Kinetic analysis of renin-angiotonin pressor system and standardization of enzymes renin and angiotonase, 367

LESIONS, visceral, herpetic infection in suckling mice, 321

MAN, transfer of psittacosis from pigeons to, 189
Membranes, mucous, of *cynomolgus* exposed to poliomyelitis virus, resistance to spread of infection in central nervous system following, with comments on non-paralytic poliomyelitis, 519

Metabolism of ischemic kidney, respiration and oxidase activity, 75
—, water, in hypertension, 477
Microbial growth, selective reversible inhibition with pyrithiamine, 489
Microorganisms suspended in air, bactericidal action of propylene glycol vapor, influence of various factors on activity, 387
Microscope, electron, pneumococcal capsular swelling reaction studied with, 327
Mosquitoes, *Culex* and *Culiseta*, laboratory transmission of Western equine encephalomyelitis virus by, 425
—, laboratory transmission of St. Louis encephalitis virus by three genera, 241
Mucous membranes of *cynomolgus* exposed to poliomyelitis virus, resistance to spread of infection in central nervous system following, with comments on non-paralytic poliomyelitis, 519

NERVOUS system, central, of *cynomolgus*, resistance to spread of poliomyelitis infection in, following exposures of mucous membranes to virus, with comments on non-paralytic poliomyelitis, 519
— system, central, pathways of invasion after intranasal installation of herpes virus in suckling mice, 315
— system, central, trauma, and severe hemorrhage, hypotension and loss of pressor response to angiotonin as result of, 41
Nose, passive protection against herpes virus inoculated by way of, 305
—, pathways of invasion of central nervous system after instillation of herpes virus in suckling mice by way of, 315

ORGANS, internal, and skin, reactions in rabbits sensitized with streptococcus or with pneumococcus vaccine, and their relation to antibodies, 135
Oxidase activity and respiration of ischemic kidney, 75
Oxidation of *p*-aminobenzoic acid and anthranilic acid by specifically adapted enzymes of soil bacillus, 255

PANCREATIC juice, duodenal juice, and bile, elimination of administered zinc in, measured by radioactive isotope (Zn^{65}), 151
Papillomas and fibromas, rabbit, virus-induced, effects of Roentgen rays on cell-virus associations, 285
Paralytic, non-, poliomyelitis, resistance to spread of poliomyelitis infection in central nervous system of *cynomolgus* following exposures of mucous membranes, 519
Phosphatase, disappearance from hydronephrotic kidney, 225
Pigeons, outbreak of psittacosis in, involving production of inclusion bodies, and transfer of disease to man, 189
Pneumococcal capsular swelling reaction studied with electron microscope, 327
Pneumococcus vaccine, intracutaneous injections, site of antibody formation following, 27
— vaccine, sensitization, reactions in skin and internal organs and their relation to antibodies, 135
Pneumonia and enteritis in calves caused by filtrable virus, 435
Poliomyelitis in *cynomolgus*, comparison of upper portion of alimentary tract with lower gastrointestinal portion as portal of entry with special reference to peripheral ganglia, 499
— in *cynomolgus*, resistance to spread of infection in central nervous sys-

tem following exposures of mucous membranes to virus, with comments on non-paralytic poliomyelitis, 519
Poliomyelitis virus, susceptibility of *Cebus capucina* and *Cercopithecus cephus* to, 273
Precipitin, M, reactions, in capillary pipettes, typing group A hemolytic streptococci by, 127
Pressor response to angiotonin, loss as result of central nervous system trauma and severe hemorrhage, 41
— system, renin-angiotonin, kinetic analysis, and standardization of enzymes renin and angiotonase, 367
Propylene glycol vapor, bactericidal action on microorganisms suspended in air, influence of various factors on activity, 387
Proteolytic enzymes, effects on streptococcal cells, 465
Psittacosis, outbreak in pigeons, involving production of inclusion bodies and transfer of disease to man, 189
Pyrithiamine, selective reversible inhibition of microbial growth, 489

RABIES virus, yield in chick embryo, 341
Radioactive iron absorption by gastrointestinal tract, influence of anemia, anoxia, and antecedent feeding, and distribution in growing dogs, 169
— isotope (Zn^{65}), elimination of administered zinc in pancreatic juice, duodenal juice, and bile measured by, 151
Reactions, M precipitin, in capillary pipettes, typing group A hemolytic streptococci by, 127
Renal. *See* Kidney.
Renin, purification, 67
Renin-angiotonin pressor system, kinetic analysis, and standardization of enzymes renin and angiotonase, 367
Resistance and neutralizing and complement-fixing antibody production following vaccination in encephalitis infections, 447
— to spread of poliomyelitis infection in central nervous system of *cynomolgus* following exposures of mucous membranes to virus, with comments on non-paralytic poliomyelitis, 519
— to viral infection increased as result of increased fluid in tissues, 91
Respiration and oxidase activity of ischemic kidney, 75
Respiratory tract cells, adsorption of influenza virus on, 99
Roentgen rays, effects on cell-virus associations, virus-induced rabbit papillomas and fibromas, 285

ST. LOUIS encephalitis virus, laboratory transmission by three genera of mosquitoes, 241
Scurvy-like condition, production by feeding compound structurally related to ascorbic acid, 333
Secretion, pancreatic and duodenal, and bile, elimination of administered zinc in, measured by radioactive isotope (Zn^{65}), 151
Sensitization to skin, production of antibodies to skin by means of synergistic action of homologous skin antigen and staphylococcus toxin, 59
— with streptococcus or with pneumococcus vaccine, reactions in skin and internal organs and their relation to antibodies, 135
Serum, horse, albumin, native and regenerated, antigenic properties, 1
Shigella dysenteriae infection, multiplication of bacteriophage *in vivo* and protective effect against, 161

Skin and internal organs, reactions, in rabbits sensitized with streptococcus or with pneumococcus vaccine, and their relation to antibodies, 135
—, sensitization to, production of antibodies to skin by means of synergistic action of homologous skin antigen and staphylococcus toxin, 59
Soil bacillus, enzymes, specifically adapted, oxidation of *p*-aminobenzoic acid and anthranilic acid by, 255
Staphylococcus toxin and homologous skin antigen, synergistic action, production of antibodies to skin by means of, 59
Stomatitis, vesicular, virus, influence of host age and incubation temperature on chick embryo infection with, 17
Streptococci, hemolytic, group A, antigenic composition, effects of proteolytic enzymes on streptococcal cells, 465
—, hemolytic, group A, typing by M precipitin reactions in capillary pipettes, 127
Streptococcus vaccine, intracutaneous injections, site of antibody formation following, 27
— vaccine, sensitization, reactions in skin and internal organs and their relation to antibodies, 135
Susceptibility of *Cebus capucina* and *Cercopithecus cephus* to poliomyelitis virus, 273
Swine influenza virus and *Haemophilus influenzae suis*, synergistic action on chick embryo, 9
Synergistic action of *Haemophilus influenzae suis* and swine influenza virus on chick embryo, 9
— action of homologous skin antigen and staphylococcus toxin, production of antibodies to skin by means of, 59

TEMPERATURE, incubation, and host age, influence on chick embryo infection with vesicular stomatitis virus, 17
Tissue culture, titration and neutralization of Western strain of equine encephalomyelitis virus in, 111
—, fluid, increased, resulting in increased resistance to viral infection, 91
Titration and neutralization of Western strain of equine encephalomyelitis virus in tissue culture, 111
Toxin, staphylococcus, and homologous skin antigen, synergistic action, production of antibodies to skin by means of, 59
Transfusion, blood, effects on renal function, 205
Transmission, laboratory, of St. Louis encephalitis virus by three genera of mosquitoes, 241
—, laboratory, of Western equine encephalomyelitis virus by *Culex* and *Culiseta* mosquitoes, 425
Trauma, central nervous system, and severe hemorrhage, hypotension and loss of pressor response to angiotonin resulting from, 41

VACCINATION in encephalitis infections, neutralizing and complement-fixing antibody production and resistance following, 447
Vaccine, pneumococcus or streptococcus, intracutaneous injections, site of antibody formation following, 27
—, pneumococcus or streptococcus, reactions in skin and in internal organs of rabbits sensitized with, and their relation to antibodies, 135
Vapor, propylene glycol, bactericidal action on microorganisms suspended in air, influence of various factors on activity, 387
Variola virus propagated in embryonated eggs, stability, 231
Vesicular stomatitis virus, influence of host age and incubation temperature on chick embryo infection with, 17

Viral infection, increased resistance as result of increased fluid in tissues, 91
Virus, equine encephalomyelitis, Western, laboratory transmission by *Culex* and *Culiseta* mosquitoes, 425
—, equine encephalomyelitis, Western strain, titration and neutralization in tissue culture, 111
—, filtrable, causing enteritis and pneumonia in calves, 435
—, herpes, inoculated intranasally, passive protection, 305
—, herpes, pathways of invasion of central nervous system after intranasal instillation in suckling mice, 315
—, influenza, adsorption on cells of respiratory tract, 99
—, influenza, immunological response to infection measured by complement fixation test, relation of complement-fixing antigen to virus particle, 347
—, influenza, swine, and *Hemophilus influenzae suis*, synergistic action on chick embryo, 9
—, poliomyelitis, resistance to spread of infection in central nervous system of *cynomolgus* following exposures of mucous membranes to, with comments on non-paralytic poliomyelitis, 519
Virus, poliomyelitis, susceptibility of *Cebus capucina* and *Cercopithecus cephus* to, 273
—, rabies, yield in chick embryo, 341
—, St. Louis encephalitis, laboratory transmission by three genera of mosquitoes, 241
—, variola, propagated in embryonated eggs, stability, 231
—, vesicular stomatitis, influence of host age and incubation temperature on chick embryo infection with, 17
Virus-induced rabbit papillomas and fibromas, effects of Roentgen rays on cell-virus associations, 285
Visceral lesions, herpetic infection in suckling mice, 321

WATER metabolism in hypertension, 477

X-RAYS. *See* Roentgen rays.

ZINC, administered, elimination in pancreatic juice, duodenal juice, and bile, measured by radioactive isotope (Zn^{65}), 151